

ORIGINAL

FULL - LED REAR LIGHT FOR COMMERCIAL VEHICLES

ULO ORIGINAL PARTS – NO COMPROMISE ON QUALITY



ULO[®]

FULL - LED REAR LIGHT FOR COMMERCIAL VEHICLES



ULO - YOUR PARTNER FOR LIGHTS AND MIRRORS IN ORIGINAL QUALITY

PRODUCT DATA

High-quality LEDs

The LEDs used for this product are excellent in terms of durability and robustness. They have a very high light output with regard to the signal strength. Thus the sealed rear light is maintenance-free.

Protection class

The rear light is dust and water proof – also when using high-pressure cleaning devices. This has been approved with standard IP64 and IP69.

Overvoltage protection

Voltage peaks according to ISO 7637-2 generate no failure of the product.

Both-sided installation

The rear lights can be installed on both sides of the vehicle. This reduces the storing costs.

Protection towards damages due to vibrations

Internal, standardised tests in our laboratories guarantee a high protection towards vibration damages.

Inverse-polarity protection

A special protection prevents damages of the rear light in case of incorrect connection of the pins.

Shock resistance

By using high-quality materials the lens is extraordinarily protected towards damages during operation.



TECHNICAL DETAILS

BRILLANT IN DESIGN AND FUNCTIONALITY

ULO stands for uncompromising quality. All ULO parts are produced in OEM quality and thus meet the highest requirements of the automotive industry. The benefit for workshops is that ULO products guarantee a perfect fit and can be installed easily without the need for any follow-up work.

VERSIONS

1707021    12 Volts

1707022    24 Volts


TECHNICAL DATA

Type of lamp	LED
Numbers of LEDs	75
Voltage	12 V or 24 V
Dimensions	400 x 130 x 96,4 mm
Type of installation	Surface-mounted
Installed condition	Horizontal
Mounting type	Two-sided
Approval	EMV: (ECE R10.5) / ECE: E9-02, 16590
Protection class	IP64 und IP69
Overvoltage protection	ISO 7637-2
Numbers of fixing spots	2
Distance of fixing spots	152 mm
Thread dimensions	M8x20
Plug	TE plug 967650-1, 7-pole



ORIGINAL



FUNCTIONALITY



DIMENSIONAL DRAWINGS



	12V	24V	Numbers of LEDs
1	Empty		
2	Tail light	3,8W / 4,2W	36
3	Reverse light	4,2W / 4,2W	6
4	Turn signal	3,4W / 7,7W	15
5	Brake light	2,1W / 2,5W	12
6	Fog light	4,2W / 4,6W	6
7	Ground		

ORIGINAL



100% ORIGINAL QUALITY ACCORDING TO THE HIGHEST STANDARDS OF THE AUTOMOTIVE INDUSTRY

HIGHLIGHTS

- FULL-LED COMMERCIAL REAR LIGHT
- COMPLETELY SEALED AND MAINTENANCE-FREE
- ALL FUNCTIONS IN LED
- DYNAMIC INDICATOR
- BOTH-SIDED INSTALLATION
- LESS POWER CONSUMPTION DUE TO LED-TECHNOLOGY

ORIGINAL

ULO Aftermarket

Hedelfinger Straße 137
70329 Stuttgart
Germany

Phone +49 (0) 711 / 18563 - 0
Fax +49 (0) 711 / 18563 - 4370
E-Mail info@ulo.de
www.ulo.de

© odelo Deutschland GmbH
ULO Aftermarket

No liability for any errors or misprints.

